


FrontRow Lyrik™ – Take audio anywhere

The Lyrik™ amplification solution is a small yet mighty portable system for instruction and audio media to be heard anywhere: in a classroom, outside on a sports field, or even online! The tower has an integrated rechargeable battery and can be connected to a computer or other auxiliary audio source either directly using cables or wirelessly using Bluetooth®. The teacher microphone for Lyrik is lightweight and comfortable and our PrioriTeach feature can automatically mute the auxiliary audio when a teacher speaks.

OPTIONS

- Field Case with shoulder strap for field trips, outdoor use, art rooms, or Pre-K
- Behind-the-neck headset for Phys Ed or on-the-go



FEATURES

- Stream audio over Bluetooth® or direct line input
- Lightweight, weighs only 8.2 pounds (3.7kg)
- Powerful 60W speaker for class & field
- Up to 8 hours of performance per charge
- Pre-programmed for multiple unit installation
- Low, med, high teacher mic volume buttons
- PrioriTeach option mutes music and audio when the mic is used
- Professional XLR mic input for field and stage
- Flip up cradle for mobile phone
- Drop-in charger with LED status
- Up to 96 classrooms with 1 mic or 48 classrooms with 2 mics
- Up to 230 feet (70m) of range (open field)

Lyrik Tower

SPECIFICATIONS

| | |
|---|--|
| Battery | Lithium-Ion 14.4 V, 5.2Ah |
| Ambient Temperature | -10°C ~ 50°C / -14°F ~ 122°F |
| Frequency Response | 70Hz – 17kHz |
| Operating Range Max | 30m – 70m / 98ft – 229ft |
| Output Power | 60W (max) / 40W (RMS) |
| Speaker/Amplifier | 5" Neodymium driver + 1" Tweeter / Class D |
| Carrier Frequency | 520 – 544MHz |
| Receiver | Duo - Two channels for up to 2 mics |
| Recharge Time | ~12 hours |
| Battery Runtime | 7-8 hours |
| Power | AC charging power supply adapter for full-time operation |
| AUX In/Out | 3.5mm (Line level) |
| MIC In | 1/4" mono or XLR (Mic level -60 dBv) |
| Weight | 3.7kg / 8.2lbs |
| Size (wxdxh) | 170 x 201 x 341 mm / 6.9 x 7.9 x 13.4 in |
| Power Requirements | 100~240VAC, 20VDC, 3.25A switching power supply |
| Battery Life Indicator | 4 LED status |
| Threaded speaker stand mounting hole | 5/8" - 27tpi |



Teacher Microphone

SPECIFICATIONS

| | |
|----------------------------|--------------------------------------|
| Battery | Lithium Ion 3.7V 1300mAh |
| Ambient Temperature | -10°C ~ 50°C / -14°F ~ 122°F |
| Frequency Response | 70Hz – 15kHz |
| Operating Range Max | Hi: >50m/164ft Low: >30m/98ft |
| RF Power | Hi: <10dBm Low: 3 +/- 2dBm |
| Carrier Frequency | 520 – 544 MHz |
| Recharge time | 4 – 6 hours |
| Battery runtime | 16 – 20 hours typical |
| Weight | 81g / 2.86oz |
| Size (wxhxd) | 52 x 88 x 32 mm / 2.0 x 3.5 x 1.3 in |
| MIC / AUX IN | 3.5mm, mono or stereo |



Student Microphone

SPECIFICATIONS

| | |
|----------------------------|----------------------------------|
| Battery | 1.2V Ni-MH 1600 mAh |
| Ambient Temperature | -10°C ~ 50°C / -14°F ~ 122°F |
| Frequency Response | 70Hz – 13kHz |
| Operating Range Max | Hi: >50m/164ft Low: >30m/98ft |
| RF Power | Hi: <10dBm Low: <3dBm |
| Carrier Frequency | 520 – 544 MHz |
| Recharge time | 4 – 6 hours |
| Battery runtime | 12 – 15 hours typical |
| Weight | 140g / 4.9oz (including battery) |
| Size (dia x h) | 37 x 200mm / 1.5 x 7.9 in |



Drop-in Microphone Charger

SPECIFICATIONS

| | |
|-----------------------------------|--|
| AC switching adaptor power | 100 ~ 240V, 5VDC, 1A |
| Charging current | 120mA |
| Charging time (Ni-MH) | 6 ~ 8 hours |
| Size (wxhxd) | 120 x 52 x 120 mm / 4.7 x 2.0 x 4.7 in |
| Weight | 255g/9.0oz |

